60cm Series 9 Integrated Triple Zone Refrigerator

Series 9 | Integrated

Panel Ready | Right Hinge



Pair with the Integrated Triple Zone Freezer for the ultimate kitchen solution – this model features three independent food zones taking cooling flexibility to a new level.

- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water with internal water dispenser

Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870 mm
Width 592 mm
Depth 576 mm

FEATURES & BENEFITS

Three Levels Of Freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Fridge zone has adjustable temperature from 1 to 6°C, while the bottom two compartments can be converted into a Fridge (1 to 6°C), Pantry (11 to 13°C) or Chill zone (-1.5 to 0°C), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Slimline Water Dispenser

The slimline water dispenser is located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The flush fit design maximises internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the refrigerator door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

Hinge change (from right hinge to left hinge)

Accessories (sold separately)

Door panel set stainless steel

Right & Left hinge RD6019

Handle kit Classic	AHCLRDSF	Installation Dimensions	
Handle kit Contemporary round, aluminium	AHSRDSF	Minimum inside width of cabinetry frame	600 r
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Minimum internal depth of cabinetry	600 r
Handle kit Contemporary square fine, black	AHD5RDSFB	Minimum internal height of cabinetry	1880 r
Handle kit Professional round flush	AHP3RDSF		
Joiner kit	AJRS19LR	Performance	
Foe kick stainless steel 1200mm	AKRS12010		
Foe kick stainless steel 1800mm	AKRS18010	ActiveSmart™ Foodcare	
Toe kick stainless steel 600mm	AKRS06010	Adaptive defrost	
Water filter replacement	847200 - FWC3	Frost free	
		Humidity control system	
		Humidity controlled crisper bins	
apacity		Inverter controlled compressor	
Total gross capacity	330 L	Sabbath mode	
Volume	306 L	Triple evaporator	
/olume refrigerator	306 L	Variable food modes	Pantry; Frid
		Variable temperature zones	
eatures			
Adjustable door shelves	4	Power requirements	
Adjustable glass cantilevered shelves	•	Amperage	1
Covered door shelves	1	Supply frequency	50
Door alarm	•	Supply voltage	23
nternal water dispenser	•		
ED bin lighting	•		
ED ceiling lighting	•	Product dimensions	
ED side lighting	•	Depth	576
SmartTouch control panel	•	Height	1870
Stackable bottle holders	2	Width	592
Water tank capacity	1L		332

Warranty

Parts and labour	2 years
Sealed system parts only	5 years

SKU 26212

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K08 Hinge 2D-DWG Refrigerator 2D-DWG Refrigerator with Custom Panel

2D-DXF Integrated Refrigeration - K08 Hinge

2D-DXF Refrigerator

2D-DXF Refrigerator with Custom Panel 2D-DXF Integrated Refrigeration - Panel Preparation

Archicad 23 Refrigerator

Declaration of Conformity ZH

Energy Label ZH

Service & Warranty

Installation Guide EN

XXXXXX ZH

Planning Guide Integrated Refrigeration

Revit 18 Refrigerator

Rhino 5 Refrigerator

Rhino 5 Refrigerator with Custom Panel

QUICK REFERENCE GUIDE > RS6019S3RH1 Date: 30.10.2024 > 3

- ↓ Rhino 5 Refrigerator Door with Classic Round Handle
- ↓ Rhino 5 Refrigerator Door with Contemporary Round Handle
- Rhino 5 Refrigerator Door with Professional Round Flush Handle
- ↓ Rhino 5 Refrigerator Door with Square Fine Black Handle
- Rhino 5 Refrigerator Door with Square Fine Handle
- ↓ Sketchup 8 Refrigerator
- ↓ Sketchup 8 Refrigerator with Custom Panel
- Sketchup 8 Refrigerator Door with Contemporary Round Handle
- Sketchup 8 Refrigerator Door with Professional Round Flush Handle
- ↓ Sketchup 8 Refrigerator Door with Square Fine Black Handle
- ↓ Sketchup 8 Refrigerator Door with Square Fine Handle
- ↓ User Guide Integrated Refrigeration EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.