QUICK REFERENCE GUIDE > OR36SCG4B1 Date: 18.09.2024 > 1

36" Series 7 Classic 5 Burner Gas Range

Height 35 3/4 - 37 1/4 "

Width 35 7/8 "

Depth 25 1/4 "

Series 7 | Classic


Black



Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with 4.9 cu ft total capacity and three functions including Bake and Broil

DIMENSIONS



FEATURES & BENEFITS

Design Quality

This range has been carefully crafted in every detail from performance to durability using quality materials including the balanced soft-close door and rounded rangetop rail.

Large Capacity Oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Easy cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Chromed shelf runners

1 set

Full extension telescopic shelves

2 sets (part 578744)

Grill rack

true

Small pot support

1 (part 533981 cast)

Accessories (sold separately)

Kick strip, black (optional)

Kick strip, red (optional)

Kick strip, stainless steel (optional)

Kick strip, white (optional)

Kick strip, white (optional)

Kick strip, white (optional)

Kickor36W1

Wok grate included

Yes

Burner ratings


Dual wok burner inner/outer (LPG) 1000 - 18000BTU

Dual wok burner inner/outer (natural gas) 1000 - 18000BTU

Maximum burner power	18000 BTU	Electronic ignition	•	Rangetop features		
Semi-rapid burner (LPG)	7600BTU	Full extension telescopic sliding shelves	•	Hob rail	•	
Semi-rapid burner (natural gas)	8000BTU	Internal light	4 x 25W halogen	LPG / Natural Gas compatible	•	
Total cooktop power	62000 BTU		(2 side & 2 top)	Sealed range top	•	
Triple ring wok burner (LPG) x2	6100 - 12000BTU	Soft open/close door	•	Ğ İ		
Triple ring wok burner (natural gas) x2	6100 - 14000BTU	Storage drawer	•			
				Rangetop Performance		
Capacity		Oven functions		Number of burners	5	
Shelf positions	7	Bake	•			
Shell positions	,	Broil	•	Safety		
		Convection bake	•	•		
Cleaning		Number of functions	3	ADA compliant	•	
Acid resistant graphite enamel				Advanced cooling system	•	
Removable oven door				Anti-tilt bracket	•	
Removable shelf runners		Oven performance		Balanced oven door	•	
Removable shell runners	·	Bake power	17000 BTU	Full extension telescopic shelves	2 sets (part 578744)	
		Broil	13000 BTU	Full extension telescopic sliding shelves	•	
Controls		CoolTouch door	Quadruple glazed	Non-tip shelves	•	
Laser etched graphics	•			Spill containment	219.53 L	
Luser eteried graphics		Power Requirements		Spill containment	5/8 gallon	
Gas Requirements		Amperage	15 A			
Supply Pressure (LPG)	11" W.C.P	Supply frequency	60 Hz			
	4" W.C.P			SKU	81702	
Supply Pressure (natural gas)	4 VV.C.P	·	_			
		Product Dimensions		The product dimensions and specifications in this page a	apply to the specific	
Oven features		Depth		product and model. Under our policy of continuous improvement, these		
Auto ro ignition system	_	Height	35 3/4 - 37 1/4 "	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page		
Auto re-ignition system	•	Width	35 7/8 "	correctly describes the model currently available. © Fisher & Paykel		
Concealed element	•			Appliances Ltd 2020		
Convection	•					

QUICK REFERENCE GUIDE > OR36SCG4B1

Other product downloads available at fisherpaykel.com



Guide d'installation FR

↓ Rhino Gas Range

Sketchup Gas Range

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com